



KHAJA BANDANAWAZ UNIVERSITY
FACULTY OF ENGINEERING AND TECHNOLOGY
B.E. FIFTH SEMESTER RESULT SHEET NOV/DEC 2024
PROVISIONAL RESULT SHEET

ಖಾಜಾ ಬಂದಾನವಾಜ್ ವಿಶ್ವವಿದ್ಯಾಲಯ

خواجہ بندانواز خان

Civil Engineering (ARREAR 2020 BATCH)

S.No	UIN	19KBAL51 Construction Management & Entrepreneurship							CP=CxG	19KBCE52 Structural Analysis-II						CP=CxG	19KBCE53 Design of RC Structural Elements						CP=CxG	19KBCE54 Geotechnical Engineering -I						CP=CxG	19KBCE55 Highway Engineering						CP=CxG			
		I40	EXT 100	E-60	TOT 100	CR	G	GP		I40	EXT 100	E-60	TOT 100	CR	G		GP	I40	EXT 100	E-60	TOT 100	CR		G	GP	I40	EXT 100	E-60	TOT 100		CR	G	GP	I40	EXT 100	E-60		TOT 100	CR	G
1	20KB02BC020	30	52	31	61	3	B	7	21	23	51	31	54	3	C	6	18	22	42	25	47	3	D	5	15	35	42	25	60	4	C	6	24	22	MPC					

S.No	UIN	19KBCE561 Municipal Wastewater Engineering							CP=CxG	19KBCE57 Geotechnical Engg Laboratory						CP=CxG	19KBCE58 Concrete & Highway Material Testing Laboratory						CP=CxG	19KBWE59 Work Study & Ergonomics						TCP	SGPA=ΣC×G/T C=23	TOTAL MARKS 850	Result	Percentage (%) WITH SGPA	CLASS		
		I40	EXT 100	E-60	TOT 100	CR	G	GP		I40	EXT 100	E-60	TOT 100	CR	G		GP	I40	EXT 100	E-60	TOT 100	CR		G	GP	INT 20	EXT 50	E-30	TOT							G	GP
1	20KB02BC020	21	MPC						0	36	78	0	36	2	B+	8	16	34	52	0	34	2	B+	8	16	18	37	22	40	B+	8	110	-	354	WITH HELD	-	WITH HELD

TOTAL NUMBER OF STUDENTS APPEARED :	01
TOTAL NUMBER OF STUDENTS PASS :	00
TOTAL NUMBER OF STUDENTS FAIL :	01
PASSING PERCENTAGE :	00 %

FAIL
MPC

Dy. Controller of Examinations
 Khaja Bandanawaz University
 Kalaburagi - 585 104 (KS)



KHAJA BANDANAWAZ UNIVERSITY
FACULTY OF ENGINEERING AND TECHNOLOGY
B.E. FIFTH SEMESTER EXAMINATION NOV/DEC 2024
PROVISIONAL RESULT SHEET
CIVIL ENGINEERING (ARREAR 2021 BATCH)

خواجہ بندانواز خان خاں
 خواجہ بندانواز خان خاں

1/2

SL NO	UIN	19KBAL51 Construction Management & Entrepreneurship							CP=C×G	19KBCE52 Structural Analysis-II						CP=C×G	19KBCE53 Design of RC Structural Elements						CP=C×G	19KBCE54 Geotechnical Engineering -I						CP=C×G	19KBCE55 Highway Engineering						CP=C×G
		I40	EXT 60	TOT100	CR	G	GP	I40		EXT 60	TOT 100	CR	G	GP	I40		EXT60	TOT 100	CR	G	GP	I40		EXT 60	TOT 100	CR	G	GP	I40		EXT60	TOT 100	CR	G	GP		
1	21KB02BC001	22	21	43	3	D	5	15	24	26	50	3	D	5	15	25	30	55	3	C	6	18	36	21	57	4	*C	6	24	18	22	40	3	D	5	15	
2	21KB02BC002	20	21	41	3	D	5	15	19	0	19	3	*F	0	0	18	22	40	3	D	5	15	22	26	48	4	*D	5	20	19	21	40	3	D	5	15	
3	21KB02BC003	20	21	41	3	D	5	15	18	0	18	3	*F	0	0	18	21	39	3	D	5	15	29	AB	0	4	*F	0	0	20	21	41	3	D	5	15	
4	21KB02BC005	25	31	56	3	C	6	18	23	17	40	3	*F	0	0	25	23	48	3	D	5	15	22	29	51	4	*C	6	24	19	26	45	3	D	5	15	
5	21KB02BC009	23	25	48	3	D	5	15	18	15	33	3	*F	0	0	20	25	45	3	D	5	15	37	24	61	4	*B	7	28	22	30	52	3	C	6	18	
6	21KB02BC012	20	21	41	3	D	5	15	18	17	35	3	*F	0	0	21	27	48	3	D	5	15	36	21	57	4	C	6	24	22	25	47	3	D	5	15	
7	21KB02BC013	29	21	50	3	D	5	15	23	2	25	3	*F	0	0	19	29	48	3	D	5	15	25	22	47	4	*D	5	20	18	11	29	3	*F	0	0	
8	21KB02BC015	24	21	45	3	D	5	15	23	12	35	3	*F	0	0	23	21	44	3	D	5	15	35	8	43	4	*F	0	0	19	21	40	3	D	5	15	
9	21KB02BC016	24	23	47	3	D	5	15	24	13	37	3	*F	0	0	25	21	46	3	D	5	15	35	22	57	4	*C	6	24	18	30	48	3	D	5	15	
10	21KB02BC017	23	22	45	3	D	5	15	29	18	47	3	*F	0	0	25	21	46	3	D	5	15	30	25	55	4	*C	6	24	20	23	43	3	D	5	15	
11	22KB02BC404	24	24	48	3	D	5	15	20	5	25	3	*F	0	0	20	21	41	3	D	5	15	29	26	55	4	C	6	24	20	22	42	3	*D	5	15	
12	22KB02BC405	31	35	66	3	B	7	21	29	21	50	3	D	5	15	24	26	50	3	D	5	15	35	37	72	4	*B+	8	32	26	26	52	3	c	6	6	
13	22KB02BC406	27	21	48	3	D	5	15	27	21	48	3	D	5	15	24	24	48	3	D	5	15	35	30	65	4	*B	7	28	32	27	59	3	C	6	18	
14	22KB02BC407	26	21	47	3	D	5	15	21	24	45	3	D	5	15	24	23	47	3	D	5	15	31	30	61	4	*B	7	28	19	34	53	3	C	6	18	
15	22KB02BC410	27	3	30	3	*F	0	0	25	0	25	3	*F	0	0	20	21	41	3	D	5	15	23	AB	0	4	*F	0	0	23	AB	23	3	*F	0	0	
16	22KB02BC411	19	8	27	3	*F	0	0	27	6	33	3	*F	0	0	25	21	46	3	D	5	15	22	11	33	4	*F	0	0	23	6	29	3	*F	0	0	
17	22KB02BC412	26	16	42	3	*F	0	0	23	7	30	3	*F	0	0	19	21	40	3	D	5	15	23	0	23	4	*F	0	0	23	13	23	3	*F	0	0	
18	22KB02BC414	28	21	49	3	D	5	15	21	7	28	3	*F	0	0	23	21	44	3	D	5	15	27	33	60	4	*C	6	24	20	33	53	3	C	6	18	
19	22KB02BC417	26	21	47	3	D	5	15	22	21	43	3	D	5	15	20	21	41	3	D	5	15	27	21	48	4	*D	5	20	22	21	43	3	D	5	15	
20	22KB02BC419	20	21	41	3	D	5	15	25	1	26	3	*F	0	0	23	8	31	3	*F	0	0	22	22	44	4	*D	5	20	19	25	44	3	D	5	15	
21	22KB02BC420	22	21	43	3	D	5	15	18	3	21	3	*F	0	0	20	21	41	3	D	5	15	33	21	54	4	*C	6	24	21	21	42	3	D	5	15	

Mohd Saifur
 29/10/2024
 Dy. Controller of Examinations
 Khaja Bandanawaz University
 Kalaburagi - 585 104 (KS)

SL NO	UIN	19KBCE561 Municipal Wastewater Engineering							CP=C×G	19KBCEL57 Geotechnical Engg Laboratory					CP=C×G	19KBCEL58 Concrete & Highway Material Testing Laboratory					CP=C×G	19KBWE59 Work Study & Ergonomics						IC×G	SGPA= $\frac{\Sigma C \times G}{TC}$ TC=23	TOTAL MARKS 850	Result	Percentage (%) WITH SGPA	
		I40	EXT60	TOT 100	CR	G	GP	I40		EXT 60	TOT 100	CR	G	GP		I40	EXT 60	TOT 100	CR	G		GP	INT 20	EXT50	E-30	TOTAL50	G						GP
1	21KB02BC001	21	14	35	3	*F	0	0	22	26	48	2	D	5	10	30	38	68	2	B	7	14	17	44	26	43	A	9	111	-	439	FAIL	-
2	21KB02BC002	21	2	23	3	*F	0	0	23	28	51	2	C	6	12	31	35	66	2	B	7	14	18	25	15	33	B	7	91	-	361	FAIL	-
3	21KB02BC003	18	22	40	3	D	5	15	22	25	47	2	D	5	10	30	38	68	2	B	7	14	17	25	15	32	B	7	84	-	326	FAIL	-
4	21KB02BC005	20	21	41	3	D	5	15	25	25	50	2	D	5	10	31	40	71	2	B+	8	16	18	43	26	44	A	9	113	-	446	FAIL	-
5	21KB02BC009	21	21	42	3	D	5	15	24	26	50	2	D	5	10	30	40	70	2	B	7	14	18	43	26	44	A	9	115	-	445	FAIL	-
6	21KB02BC012	21	21	42	3	D	5	15	30	33	63	2	B	7	14	32	37	69	2	B	7	14	18	38	23	41	A	9	112	-	443	FAIL	-
7	21KB02BC013	19	21	40	3	D	5	15	29	25	54	2	C	6	12	31	38	69	2	B	7	14	18	25	15	33	B	7	91	-	395	FAIL	-
8	21KB02BC015	20	21	41	3	D	5	15	27	24	51	2	C	6	12	30	37	67	2	B	7	14	18	42	25	43	A	9	86	-	409	FAIL	-
9	21KB02BC016	18	24	42	3	D	5	15	26	25	51	2	C	6	12	32	35	67	2	B	7	14	18	25	15	33	B	7	110	-	428	FAIL	-
10	21KB02BC017	21	22	43	3	D	5	15	24	24	48	2	D	5	10	32	38	70	2	B	7	14	17	32	19	36	B+	8	108	-	433	FAIL	-
11	22KB02BC404	20	12	32	3	*F	0	0	35	27	62	2	B	7	14	31	37	68	2	B	7	14	17	40	24	41	A	9	97	-	414	FAIL	-
12	22KB02BC405	21	32	53	3	C	6	18	35	29	64	2	B	7	14	30	41	71	2	B+	8	16	18	45	27	45	A	9	137	5.96	523	PASS	52.07
13	22KB02BC406	26	7	33	3	*F	0	0	35	25	60	2	C	6	12	31	45	76	2	B+	8	16	18	43	26	44	A	9	119	-	481	FAIL	-
14	22KB02BC407	20	1	21	3	*F	0	0	35	24	59	2	C	6	12	30	44	74	2	B+	8	16	17	36	22	39	B+	8	119	-	446	FAIL	-
15	22KB02BC410	18	0	18	3	*F	0	0	35	25	60	2	C	6	12	30	36	66	2	B	7	14	19	29	17	36	B+	8	41	-	299	FAIL	-
16	22KB02BC411	26	1	27	3	*F	0	0	34	26	60	2	C	6	12	31	37	68	2	B	7	14	18	42	25	43	A	9	41	-	366	FAIL	-
17	22KB02BC412	26	3	29	3	*F	0	0	34	26	60	2	C	6	12	31	37	68	2	B	7	14	17	29	17	34	B	7	41	-	349	FAIL	-
18	22KB02BC414	21	21	42	3	D	5	15	35	26	61	2	B	7	14	30	42	72	2	B+	8	16	17	27	16	33	B	7	117	-	442	FAIL	-
19	22KB02BC417	18	21	39	3	D	5	15	35	38	73	2	B+	8	16	31	40	71	2	B+	8	16	18	26	16	34	B	7	127	5.52	439	PASS	47.72
20	22KB02BC419	18	21	39	3	D	5	15	34	25	59	2	C	6	12	31	36	67	2	B	7	14	17	28	17	34	B	7	91	-	385	FAIL	-
21	22KB02BC420	21	21	42	3	D	5	15	35	28	63	2	B	7	14	30	28	58	2	C	6	12	16	27	16	32	B	7	110	-	396	FAIL	-

TOTAL NUMBER OF STUDENTS APPEARED	: 21
TOTAL NUMBER OF STUDENTS PASS	: 02
TOTAL NUMBER OF STUDENTS FAIL	: 19
PASSING PERCENTAGE	: 9.52%

Md. A. Bakur
24/01/2025
Dy. Controller of Examinations
Khaja Bandanawaz University
Kalaburagi - 585 104 (KS)