

SL NO	UIN	19KBMAT31 Fourier Series and Transform, Statistical/ Numerical Methods							CP= C×G	19KBCE32 Strength of Materials							CP= C×G	19KBCE33 Fundamental Survey							CP= C×G	19KBCE34 Building Material & Construction Technology							CP= C×G	19KBCE35 Fluid Mechanics							CP= C×G
		I40	EXT 100	E-60	TOT 100	CR	G	GP		I40	EXT 100	E-60	TOT 100	CR	G	GP		I40	EXT 100	E-60	TOT 100	CR	G	GP		I40	EXT 100	E-60	TOT 100	CR	G	GP		I40	EXT 100	E-60	TOT 100	CR	G	GP	
1	22KB02BC419	28	38	23	51	3	C	6	18	31	10	5	36	4	*F	0	0	25	39	23	48	3	D	5	15	26	58	35	61	3	B	7	21	28	60	36	64	3	B+	8	24
2	22KB02BC420	30	0	0	30	3	*F	0	0	30	36	22	52	4	C	6	24	21	41	25	46	3	D	5	15	30	52	31	61	3	B	7	21	29	58	35	64	3	B	7	21

SL NO	UIN	19KBCE36 Air Pollution And Control								CP= C×G	19KBCEL37 Building material & Testing Laboratory							CP= C×G	19KBCEL38 Surveying Practice Laboratory								CP= C×G	19KBCE39 Constitution of India, Professional Ethics and Cyber Law								CP= C×G	SGP A TC= 24	TOTAL MARKS 850	Result	Percentage (%) WITH H
		I40	EXT 100	E-60	TOT 100	CR	G	GP	I40		EXT 100	E-60	TOT 100	CR	G	GP	I40		EXT 100	E-60	TOT 100	CR	G	GP	I20	EXT 50		E-30	TOT50	CR	G	GP								
1	22KB02BC419	23	68	41	64	3	B	7	21	25	50	30	55	2	C	6	12	31	55	33	64	2	B	7	14	16	30	18	34	1	B	7	7	132	—	477	FAIL	—		
2	22KB02BC420	23	44	26	49	3	D	5	15	26	51	30.6	57	2	C	6	12	34	60	36	70	2	B	7	14	17	29	17	34	1	B	7	7	129	—	463	FAIL	—		

TOTAL NUMBER OF STUDENTS APPEARED	:	02
TOTAL NUMBER OF STUDENTS PASS	:	00
TOTAL NUMBER OF STUDENTS FAIL	:	02
PASSING PERCENTAGE	:	00%

FAIL

[Signature]
24/1/2025
Dy. Controller of Examinations
Khaja Bandanawaz University
Kalaburagi - 585 104 (KS)



KHAJA BANDANAWAZ UNIVERSITY
FACULTY OF ENGINEERING AND TECHNOLOGY
B.E. THIRD SEMESTER EXAMINATION NOV/DEC 2024
PROVISIONAL RESULT SHEET
CIVIL ENGINEERING (ARREAR 2022 BATCH)

ಖಜಾ ಬಂದಾನವಾಜ್ ವಿಶ್ವವಿದ್ಯಾಲಯ

خواجہ بندانواز خان

1/2

SL. No	UIN	19KBMAT31 Fourier Series and Transform,Statistical/ Numerical Methods							CP= C×G	19KBCE32 Strength of Materials							CP= C×G	19KBCE33 Fundamental Survey							CP= C×G	19KBCE34 Building Material & Construction Technology							CP= C×G	19KBCE35 Fluid Mechanics							CP= C×G
		I40	EXT60	TOT 100	CR	G	GP	I40		EXT60	TOT 100	CR	G	GP	I40	EXT60		TOT 100	CR	G	GP	I40	EXT60	TOT 100		CR	G	GP	I40	EXT60	TOT 100	CR		G	GP						
1	22KB02BC001	27	10	37	3	*F	0	0	22	22	44	4	D	5	20	25	21	46	3	D	5	15	23	24	47	3	D	5	15	19	23	42	3	*D	5	15					
2	22KB02BC002	18	2	20	3	*F	0	0	22	21	43	4	D	5	20	23	25	48	3	D	5	15	23	23	46	3	D	5	15	17	24	41	3	*D	5	15					
3	22KB02BC003	25	42	67	3	B	7	21	22	17	39	4	*F	0	0	24	25	49	3	D	5	15	22	33	55	3	C	6	18	19	9	28	3	*F	0	0					
4	22KB02BC004	23	0	23	3	*F	0	0	22	26	48	4	D	5	20	20	21	41	3	D	5	15	22	24	46	3	D	5	15	17	21	38	3	D	5	15					
5	22KB02BC007	26	2	28	3	*F	0	0	29	21	50	4	D	5	20	22	21	43	3	D	5	15	26	29	55	3	C	6	18	20	10	30	3	*F	0	0					
6	22KB02BC008	22	0	22	3	*F	0	0	25	26	51	4	C	6	24	22	21	43	3	D	5	15	22	40	62	3	B	7	21	17	22	39	3	D	5	15					
7	22KB02BC010	25	0	25	3	*F	0	0	32	31	63	4	B	7	28	24	23	47	3	D	5	15	27	27	54	3	C	6	18	30	22	52	3	C	6	18					
8	22KB02BC012	26	1	27	3	*F	0	0	29	27	56	4	C	6	24	29	21	50	3	D	5	15	25	38	63	3	B	7	21	19	26	45	3	D	5	15					
9	22KB02BC016	28	0	28	3	*F	0	0	33	30	63	4	B	7	28	26	23	49	3	D	5	15	31	31	62	3	B	7	21	30	2	32	3	*F	0	0					
10	22KB02BC017	22	0	22	3	*F	0	0	25	21	46	4	D	5	20	20	21	41	3	D	5	15	23	26	49	3	D	5	15	18	3	21	3	*F	0	0					
11	22KB02BC019	26	0	26	3	*F	0	0	32	33	65	4	B	7	28	30	21	51	3	C	6	18	27	35	62	3	B	7	21	24	27	51	3	C	6	18					
12	22KB02BC020	25	0	25	3	*F	0	0	25	20	45	4	*F	0	0	20	25	45	3	D	5	15	25	38	63	3	B	7	21	17	27	44	3	D	5	15					
13	22KB02BC021	25	0	25	3	*F	0	0	25	14	39	4	*F	0	0	20	21	41	3	D	5	15	24	38	62	3	B	7	21	18	28	46	3	D	5	15					
14	22KB02BC024	21	0	21	3	*F	0	0	26	24	50	4	D	5	20	24	21	45	3	D	5	15	22	40	62	3	B	7	21	24	21	45	3	D	5	15					
15	23KB02BC401	20	21	41	3	D	5	15	25	11	36	4	*F	0	0	20	28	48	3	D	5	15	20	54	74	3	B+	8	24	20	21	41	3	D	5	15					
16	23KB02BC404	22	AB	22	3	F	0	0	25	21	46	4	D	5	20	20	21	41	3	D	5	15	24	15	39	3	*F	0	0	16	AB	16	3	*F	0	0					
17	23KB02BC405	22	0	22	3	*F	0	0	25	4	29	4	*F	0	0	21	11	32	3	*F	0	0	19	29	48	3	D	5	15	19	27	46	3	D	5	15					
18	23KB02BC406	26	0	26	3	*F	0	0	34	36	70	4	B	7	28	35	26	61	3	B	7	21	33	46	79	3	B+	8	24	20	28	48	3	D	5	15					
19	23KB02BC408	25	0	25	3	*F	0	0	30	21	51	4	C	6	24	26	31	57	3	C	6	18	25	48	73	3	B+	8	24	21	30	51	3	C	6	18					
20	23KB02BC409	19	AB	19	3	F	0	0	25	22	47	4	D	5	20	20	26	46	3	*D	5	15	22	38	60	3	C	6	18	16	31	47	3	D	5	15					
21	23KB02BC410	21	0	21	3	*F	0	0	24	21	45	4	D	5	20	20	22	42	3	D	5	15	24	32	56	3	C	6	18	20	29	49	3	D	5	15					
22	23KB02BC411	32	2	34	3	*F	0	0	39	21	60	4	C	6	24	34	23	57	3	C	6	18	31	43	74	3	B+	8	24	22	21	43	3	D	5	15					
23	23KB02BC414	22	21	43	3	D	5	15	25	22	47	4	D	5	20	20	26	46	3	*D	0	0	20	41	61	3	B	7	21	21	21	42	3	D	5	15					
24	23KB02BC415	22	22	44	3	D	5	15	26	10	36	4	*F	0	0	20	5	25	3	*F	0	0	27	0	27	3	*F	0	0	22	21	43	3	D	5	15					
25	23KB02BC417	25	21	46	3	D	5	15	34	21	55	4	C	6	24	26	21	47	3	D	5	15	31	21	52	3	C	6	18	21	10	31	3	*F	0	0					
26	23KB02BC418	21	0	21	3	*F	0	0	24	0	24	4	*F	0	0	21	2	23	3	*F	0	0	26	6	32	3	*F	0	0	21	1	21	3	*F	0	0					
27	23KB02BC419	22	21	43	3	D	5	15	25	21	46	4	D	5	20	21	23	44	3	D	5	15	20	39	59	3	C	6	18	19	6	25	3	*F	0	0					
28	23KB02BC420	23	0	23	3	*F	0	0	24	4	28	4	*F	0	0	30	21	51	3	*C	6	18	32	42	74	3	B+	8	24	20	0	20	3	*F	0	0					
29	23KB02BC421	20	29	49	3	D	5	15	25	30	55	4	C	6	24	21	25	46	3	*D	5	15	20	33	53	3	C	6	18	20	AB	20	3	*F	0	0					

Dy. Controller of Examinations
Khaja Bandanawaz University
Kalaburagi - 585 104 (Kv)

SL. No	UIN	19KBCE36 Air Pollution And Control							CP= C×G	19KBCEL37 Building Material & Testing Laboratory							CP= C×G	19KBCEL38 Surveying Practice Laboratory							CP= C×G	19KBPC39 Constitution of India, Professional Ethics and Cyber Law										CP= C×G	ΣC×G	SGPA TC=24	TOTAL MARKS 850	Result	Percentage (%)WITH SGPA
		I40	EXT 60	TOT 100	CR	G	GP	I40		E-60	TOT 100	CR	G	GP	I40	E-60		TOT 100	CR	G	GP	I20	EXT 50	TOT 100		TOT 50	CR	G	GP												
1	22KB02BC001	19	30	49	3	D	5	15	32	30	62	2	B	7	14	25	35	60	2	C	6	12	19	38		84	42	1	A	9	9	115	-	429	FAIL	-					
2	22KB02BC002	22	31	53	3	C	6	18	30	30	60	2	C	6	12	26	44	70	2	B	7	14	17	43		86	43	1	A	9	9	118	-	424	FAIL	-					
3	22KB02BC003	25	26	51	3	C	6	18	32	30	62	2	B	7	14	27	35	62	2	B	7	14	17	42		84	42	1	A	9	9	109	-	455	FAIL	-					
4	22KB02BC004	27	23	50	3	D	5	15	31	28	59	2	C	6	12	25	53	78	2	B+	8	16	17	41		83	42	1	A	9	9	117	-	425	FAIL	-					
5	22KB02BC007	21	34	55	3	C	6	18	30	35	65	2	B	7	14	29	54	83	2	A	9	18	18	44		89	44	1	A	9	9	112	-	453	FAIL	-					
6	22KB02BC008	22	36	58	3	C	6	18	31	30	61	2	B	7	14	29	47	76	2	B+	8	16	18	39		83	41	1	A	9	9	132	-	453	FAIL	-					
7	22KB02BC010	20	32	52	3	C	6	18	30	30	60	2	C	6	12	28	43	71	2	B+	8	16	18	37		80	40	1	B+	8	8	133	-	464	FAIL	-					
8	22KB02BC012	24	30	54	3	C	6	18	30	28	58	2	C	6	12	29	38	67	2	B	7	14	18	39		83	41	1	A	9	9	128	-	461	FAIL	-					
9	22KB02BC016	25	34	59	3	C	6	18	31	32	63	2	B	7	14	32	38	70	2	B	7	14	18	40		84	42	1	A	9	9	119	-	468	FAIL	-					
10	22KB02BC017	20	23	43	3	D	5	15	30	30	60	2	C	6	12	31	38	69	2	B	7	14	18	44		89	44	1	A	9	9	100	-	395	FAIL	-					
11	22KB02BC019	21	21	42	3	D	5	15	31	41	72	2	B+	8	16	31	39	70	2	B	7	14	17	43		86	43	1	A	9	9	139	-	482	FAIL	-					
12	22KB02BC020	19	25	44	3	D	5	15	30	28	58	2	C	6	12	30	35	65	2	B	7	14	18	38		82	41	1	A	9	9	101	-	430	FAIL	-					
13	22KB02BC021	19	25	44	3	D	5	15	30	34	64	2	B	7	14	30	35	65	2	B	7	14	17	41		83	42	1	A	9	9	103	-	428	FAIL	-					
14	22KB02BC024	16	21	37	3	D	5	15	30	42	72	2	B+	8	16	29	35	64	2	B	7	14	17	41		83	42	1	A	9	9	125	-	438	FAIL	-					
15	23KB02BC401	20	25	45	3	D	5	15	31	40	71	2	B+	8	16	32	39	71	2	B+	8	16	18	40		84	42	1	A	9	9	125	-	469	FAIL	-					
16	23KB02BC404	22	AB	22	3	*F	0	0	30	30	60	2	C	6	12	30	45	75	2	B+	8	16	16	43		84	42	1	A	9	9	72	-	363	FAIL	-					
17	23KB02BC405	20	16	36	3	D	5	15	31	32	63	2	B	7	14	31	40	71	2	B+	8	16	17	42		84	42	1	A	9	9	84	-	389	FAIL	-					
18	23KB02BC406	34	43	77	3	B+	8	24	30	30	60	2	C	6	12	29	42	71	2	B+	8	16	18	41		85	43	1	A	9	9	149	-	535	FAIL	-					
19	23KB02BC408	19	36	55	3	C	6	18	30	30	60	2	C	6	12	29	45	74	2	B+	8	16	17	38		80	40	1	B+	8	8	138	-	486	FAIL	-					
20	23KB02BC409	21	27	48	3	D	5	15	31	29	60	2	C	6	12	30	40	70	2	B	7	14	16	39		79	39	1	B+	8	8	117	-	436	FAIL	-					
21	23KB02BC410	20	31	51	3	*C	6	18	30	28	58	2	C	6	12	30	39	69	2	B	7	14	18	38		82	41	1	A	9	9	121	-	432	FAIL	-					
22	23KB02BC411	29	27	56	3	C	6	18	30	28	58	2	C	6	12	35	50	85	2	A	9	18	16	41		81	41	1	A	9	9	138	-	508	FAIL	-					
23	23KB02BC414	20	30	50	3	D	5	15	30	30	60	2	C	6	12	29	47	76	2	B+	8	16	17	42		84	42	1	A	9	9	123	5.13	467	PASS	43.75					
24	23KB02BC415	18	9	27	3	*F	0	0	30	29	59	2	C	6	12	30	48	78	2	B+	8	16	18	40		84	42	1	A	9	9	67	-	381	FAIL	-					
25	23KB02BC417	20	26	46	3	D	5	15	31	28	59	2	C	6	12	30	54	84	2	A	9	18	19	41		87	44	1	A	9	9	126	-	464	FAIL	-					
26	23KB02BC418	20	10	20	3	*F	0	0	24	23	47	2	D	5	10	28	43	71	2	B+	8	16	17	38		80	40	1	B+	8	8	34	-	299	FAIL	-					
27	23KB02BC419	19	29	48	3	D	5	15	30	27	57	2	C	6	12	32	47	79	2	B+	8	16	16	41		81	41	1	A	9	9	120	-	442	FAIL	-					
28	23KB02BC420	18	33	51	3	C	6	18	30	30	60	2	C	6	12	30	48	78	2	B+	8	16	17	41		83	42	1	A	9	9	97	-	427	FAIL	-					
29	23KB02BC421	20	21	41	3	D	5	15	31	30	61	2	B	7	14	25	42	67	2	B	7	14	17	40		82	41	1	A	9	9	124	-	433	FAIL	-					

TOTAL NUMBER OF STUDENTS APPEARED	: 29
TOTAL NUMBER OF STUDENTS PASS	: 01
TOTAL NUMBER OF STUDENTS FAIL	: 28
PASSING PERCENTAGE	: 03.45 %

FAIL
PASS

Handwritten signature
24/1/2025
Dy. Controller of Examinations
Khaja Bandanawaz University
Kalaburagi - 585 104 (KS)

KHAJA BANDANAWAZ UNIVERSITY
FACULTY OF ENGINEERING AND TECHNOLOGY
PROVISIONAL RESULT SHEET

B.E. THIRD SEMESTER RESULT SHEET NOV/ DEC 2024

Department : MECHANICAL ENGINEERING

SL.No	UIN	19KBAMD31 Additional Mathematics - I					RESULT
		I40	EXT60	TOT100	G	GP	
1	23KB02BM404	26	0	26	*F	0	FAIL

Department : CIVIL ENGINEERING

SL.No	UIN	19KBAMD31 Additional Mathematics - I					RESULT
		I40	EXT60	TOT100	G	GP	
1	23KB02BC401	34	0	34	*F	0	FAIL
2	23KB02BC404	32	0	32	*F	0	FAIL
3	23KB02BC408	35	0	35	*F	0	FAIL
4	23KB02BC409	28	0	28	*F	0	FAIL
5	23KB02BC413	34	0	34	*F	0	FAIL
6	23KB02BC418	32	0	32	*F	0	FAIL
7	23KB02BC419	32	0	32	*F	0	FAIL

Department : COMPUTER SCIENCE & ENGINEERING

SL.No	UIN	19KBAMD31 Additional Mathematics - I					RESULT
		I40	EXT60	TOT100	G	GP	
1	23KB02BS400	33	0	33	*F	0	FAIL

TOTAL NUMBER OF STUDENTS APPEARED : 09

TOTAL NUMBER OF STUDENTS PASS : 00

TOTAL NUMBER OF STUDENTS FAIL : 01

PASSING PERCENTAGE : 00 %

Waleed Badar
 Dy. Controller of Examinations
 Khaja Bandanawaz University
 Kalaburagi - 585 104 (KS)