



**KHAJA BANDANAWAZ UNIVERSITY**  
**FACULTY OF ENGINEERING AND TECHNOLOGY**  
**B.E. FIFTH SEMESTER EXAMINATION NOV/DEC 2024**  
**PROVISIONAL RESULT SHEET**  
**Academic Year 2024-2025**  
**Civil Engineering**

کھاجا باندانواز یونیورسٹی  
خواجه باندانواز یونیورسٹی

S. No	UIN	19KB51 Management and Entrepreneurship							19KBCE52 Structural Analysis-II							19KBCE53 Design of RC Structural Element							19KBCE54 Geotechnical Engineering-I							19KBCE55 Highway Engineering							
		INT 40	E-60	TOT 100	CR	G	GP	CP=Cx G	INT 40	E-60	TOT 100	CR	G	GP	CP=Cx G	INT 40	E-60	TOT 100	CR	G	GP	CP=Cx G	INT 40	E-60	TOT 100	CR	G	GP	CP=Cx G	INT 40	E-60	TOT 100	CR	G	GP	CP=Cx G	
1	22KB02BC001	18	30	48	3	D	5	15	18	10	28	3	F	0	0	16	MPC							14	21	35	4	D	5	20	16	17	33	3	F	0	0
2	22KB02BC002	21	29	50	3	D	5	15	18	2	20	3	F	0	0	17	MPC							15	22	37	4	D	5	20	17	23	40	3	D	5	15
3	22KB02BC003	16	25	41	3	D	5	15	17	17	34	3	F	0	0	16	14	30	3	F	0	0	14	27	41	4	D	5	20	18	21	39	3	D	5	15	
4	22KB02BC004	23	41	64	3	B	7	21	18	17	35	3	F	0	0	14	19	33	3	F	0	0	14	31	45	4	D	5	20	17	31	48	3	D	5	15	
5	22KB02BC005	19	39	58	3	C	6	18	18	31	49	3	D	5	15	23	23	46	3	D	5	15	14	22	36	4	D	5	20	20	23	43	3	D	5	15	
6	22KB02BC007	20	22	42	3	D	5	15	18	5	23	3	F	0	0	21	14	35	3	F	0	0	14	21	35	4	D	5	20	20	17	37	3	F	0	0	
7	22KB02BC008	26	25	51	3	C	6	18	23	16	39	3	F	0	0	16	21	37	3	D	5	15	14	21	35	4	D	5	20	19	27	46	3	D	5	15	
8	22KB02BC009	23	45	68	3	B	7	21	18	33	51	3	C	6	18	17	15	32	3	F	0	0	15	35	50	4	D	5	20	18	30	48	3	D	5	15	
9	22KB02BC010	23	35	58	3	C	6	18	15	24	39	3	D	5	15	16	25	41	3	D	5	15	14	28	42	4	D	5	20	16	22	38	3	D	5	15	
10	22KB02BC011	22	31	53	3	C	6	18	18	13	31	3	F	0	0	15	22	37	3	D	5	15	14	21	35	4	D	5	20	18	MPC						
11	22KB02BC012	29	29	58	3	C	6	18	18	0	18	3	F	0	0	16	14	30	3	F	0	0	14	21	35	4	D	5	20	20	14	34	3	F	0	0	
12	22KB02BC015	27	42	69	3	B	7	21	18	21	39	3	D	5	15	16	27	43	3	D	5	15	26	35	61	4	B	7	28	21	31	52	3	C	6	18	
13	22KB02BC016	27	34	61	3	B	7	21	18	16	34	3	F	0	0	17	24	41	3	D	5	15	18	34	52	4	C	6	24	22	28	50	3	D	5	15	
14	22KB02BC017	20	21	41	3	D	5	15	20	14	34	3	F	0	0	15	22	37	3	D	5	15	15	21	36	4	D	5	20	16	19	35	3	F	0	0	
15	22KB02BC018	34	42	76	3	B+	8	24	33	30	63	3	B	7	21	20	23	43	3	D	5	15	16	36	52	4	C	6	24	33	43	76	3	B+	8	24	
16	22KB02BC019	32	21	53	3	C	6	18	18	3	21	3	F	0	0	16	22	38	3	D	5	15	16	25	41	4	D	5	20	21	16	37	3	F	0	0	
17	22KB02BC021	21	23	44	3	D	5	15	19	22	41	3	D	5	15	15	22	37	3	D	5	15	19	21	40	4	D	5	20	20	17	37	3	F	0	0	
18	22KB02BC024	20	32	52	3	C	6	18	18	21	39	3	D	5	15	17	20	37	3	F	0	0	16	44	60	4	C	6	24	19	22	41	3	D	5	15	
19	23KB02BC400	27	37	64	3	B	7	21	18	31	49	3	D	5	15	15	43	58	3	C	6	18	15	34	49	4	D	5	20	17	24	41	3	D	5	15	
20	23KB02BC401	20	21	41	3	D	5	15	18	0	18	3	F	0	0	18	26	44	3	D	5	15	14	33	47	4	D	5	20	17	15	32	3	F	0	0	
21	23KB02BC402	30	47	77	3	B+	8	24	18	45	63	3	B	7	21	14	34	48	3	D	5	15	15	30	45	4	D	5	20	19	30	49	3	D	5	15	
22	23KB02BC403	30	50	80	3	B+	8	24	23	32	55	3	C	6	18	16	42	58	3	C	6	18	19	41	60	4	C	6	24	21	26	47	3	D	5	15	
23	23KB02BC405	20	28	48	3	D	5	15	21	5	26	3	F	0	0	15	19	34	3	F	0	0	14	29	43	4	D	5	20	17	22	39	3	D	5	15	
24	23KB02BC406	28	35	63	3	B	7	21	23	39	62	3	B	7	21	16	36	52	3	C	6	18	14	39	53	4	C	6	24	16	41	57	3	C	6	18	
25	23KB02BC408	25	36	61	3	B	7	21	21	24	45	3	D	5	15	17	22	39	3	D	5	15	15	28	43	4	D	5	20	19	23	42	3	D	5	15	
26	23KB02BC410	25	21	46	3	D	5	15	19	6	25	3	F	0	0	15	23	38	3	D	5	15	16	31	47	4	D	5	20	19	18	37	3	F	0	0	
27	23KB02BC411	26	39	65	3	B	7	21	31	21	52	3	C	6	18	23	21	44	3	D	5	15	17	27	44	4	D	5	20	21	12	33	3	F	0	0	
28	23KB02BC412	27	47	74	3	B+	8	24	27	32	59	3	C	6	18	21	25	46	3	D	5	15	16	45	61	4	B	7	28	22	23	45	3	D	5	15	
29	23KB02BC413	18	28	46	3	D	5	15	18	0	18	3	F	0	0	17	0	17	3	F	0	0	14	22	36	4	D	5	20	17	16	33	3	F	0	0	
30	23KB02BC414	23	24	47	3	D	5	15	18	0	18	3	F	0	0	14	30	44	3	D	5	15	14	25	39	4	D	5	20	20	16	36	3	F	0	0	
31	23KB02BC416	24	22	46	3	D	5	15	23	34	57	3	C	6	18	20	22	42	3	D	5	15	14	24	38	4	D	5	20	17	21	38	3	D	5	15	
32	23KB02BC417	26	27	53	3	C	6	18	17	28	45	3	D	5	15	15	21	36	3	D	5	15	14	21	35	4	D	5	20	16	16	32	3	F	0	0	
33	23KB02BC419	24	25	49	3	D	5	15	18	28	46	3	D	5	15	15	21	36	3	D	5	15	14	22	36	4	D	5	20	17	17	34	3	F	0	0	
34	23KB02BC421	20	29	49	3	D	5	15	18	21	39	3	D	5	15	14	16	30	3	F	0	0	14	23	37	4	D	5	20	18	9	27	3	F	0	0	
35	23KB02BC422	27	28	55	3	C	6	18	33	31	64	3	B	7	21	27	30	57	3	C	6	18	22	6	28	4	F	0	0	23	21	44	3	D	5	15	
36	23KB02BC423	21	30	51	3	C	6	18	18	30	48	3	D	5	15	15	22	37	3	D	5	15	14	21	35	4	D	5	20	21	15	36	3	F	0	0	
37	19KB02BC036	37	55	92	3	A+	10	30	40	30	70	3	B	7	21	38	45	83	3	A	9	27	39	47	86	4	A	9	36	39	51	90	3	A	9	27	

*M. H. B. S.*  
**Dy. Controller of Examinations**  
Khaja Bandanawaz University  
Kalaburani - 525 114 (WV)

S. No	UIN	19KBCE561 Municipal Wastewater Engineering							19KBCEL57 Geotechnical Engineering Laboratory							19KBCEL58 Concrete & Highway Material Testing Lab							19KBWE59 Work study and Ergonomic							ΣC×G	SGPA= ΣC×G/T C TC=24	TOTAL MARKS	Result	Percent age (%)	CGPA
		INT 40	E-60	TOT 100	CR	G	GP	CP=C× G	INT 40	E-60	TOT 100	CR	G	GP	CP=C× G	INT 40	E-60	TOT 100	CR	G	GP	CP=C× G	INT 20	E-30	TOT 50	CR	G	GP	CP=C× G						
1	22KB02BC001	20	14	34	3	F	0	0	30	40	70	2	B	7	14	33	43	76	2	B+	8	16	17	24	41	-	A	9	-	65	-	381	With held	-	-
2	22KB02BC002	22	21	43	3	D	5	15	29	48	77	2	B+	8	16	31	44	75	2	B+	8	16	16	14	30	-	C	6	-	97	-	389	With held	-	-
3	22KB02BC003	15	14	29	3	F	0	0	31	45	76	2	B+	8	16	32	36	68	2	B	7	14	15	16	31	-	B	7	-	80	-	389	Fail	-	-
4	22KB02BC004	19	28	47	3	D	5	15	30	56	86	2	A	9	18	31	38	69	2	B	7	14	16	17	33	-	B	7	-	103	-	460	Fail	-	-
5	22KB02BC005	24	23	47	3	D	5	15	32	40	72	2	B+	8	16	34	45	79	2	B+	8	16	18	28	46	-	A+	10	-	130	5.65	476	Pass	49	6.51
6	22KB02BC007	24	2	26	3	F	0	0	31	33	64	2	B	7	14	32	46	78	2	B+	8	16	18	17	35	-	B	7	-	65	-	377	Fail	-	-
7	22KB02BC008	24	21	45	3	D	5	15	29	50	79	2	B+	8	16	31	38	69	2	B	7	14	15	17	32	-	B	7	-	113	-	433	Fail	-	-
8	22KB02BC009	25	28	53	3	C	6	18	30	56	86	2	A	9	18	34	46	80	2	B+	8	16	18	19	37	-	B+	8	-	126	-	505	Fail	-	-
9	22KB02BC010	23	18	41	3	F	0	0	29	40	69	2	B	7	14	31	36	67	2	B	7	14	18	22	40	-	B+	8	-	111	-	435	Fail	-	-
10	22KB02BC011	22	15	37	3	F	0	0	30	42	72	2	B+	8	16	33	37	70	2	B	7	14	18	14	32	-	B	7	-	83	-	385	With held	-	-
11	22KB02BC012	22	13	35	3	F	0	0	31	40	71	2	B+	8	16	34	40	74	2	B+	8	16	16	16	32	-	B	7	-	70	-	387	Fail	-	-
12	22KB02BC015	20	25	45	3	D	5	15	34	42	76	2	B+	8	16	31	39	70	2	B	7	14	18	14	32	-	B	7	-	142	6.17	487	Pass	54.2	7.12
13	22KB02BC016	24	21	45	3	D	5	15	33	42	75	2	B+	8	16	32	41	73	2	B+	8	16	16	17	33	-	B	7	-	122	-	464	Fail	-	-
14	22KB02BC017	20	13	33	3	F	0	0	29	51	80	2	B+	8	16	32	42	74	2	B+	8	16	18	10	28	-	F	0	-	82	-	398	Fail	-	-
15	22KB02BC018	37	30	67	3	B	7	21	35	38	73	2	B+	8	16	38	54	92	2	A+	10	20	17	20	37	-	B+	8	-	165	7.17	579	Pass	64.2	7.03
16	22KB02BC019	21	13	34	3	F	0	0	30	42	72	2	B+	8	16	34	42	76	2	B+	8	16	17	16	33	-	B	7	-	85	-	405	Fail	-	-
17	22KB02BC021	23	15	38	3	F	0	0	31	57	88	2	A	9	18	31	37	68	2	B	7	14	19	18	37	-	B+	8	-	97	-	430	Fail	-	-
18	22KB02BC024	21	16	37	3	F	0	0	30	54	84	2	A	9	18	31	36	67	2	B	7	14	18	21	39	-	B+	8	-	104	-	456	Fail	-	-
19	23KB02BC400	22	29	51	3	C	6	18	32	43	75	2	B+	8	16	36	43	79	2	B+	8	16	17	26	43	-	A	9	-	139	6.04	509	Pass	52.9	6.47
20	23KB02BC401	21	32	53	3	C	6	18	30	34	64	2	B	7	14	32	39	71	2	B+	8	16	17	21	38	-	B+	8	-	98	-	408	Fail	-	-
21	23KB02BC402	24	24	48	3	D	5	15	34	56	90	2	A	9	18	36	42	78	2	B+	8	16	15	26	41	-	A	9	-	144	6.26	539	Pass	55.1	6.57
22	23KB02BC403	28	33	61	3	B	7	21	35	56	91	2	A+	10	20	38	42	80	2	B+	8	16	16	16	32	-	B	7	-	156	6.78	564	Pass	60.3	7.58
23	23KB02BC405	21	19	40	3	F	0	0	32	42	74	2	B+	8	16	37	39	76	2	B+	8	16	15	14	29	-	C	6	-	82	-	409	Fail	-	-
24	23KB02BC406	24	35	59	3	C	6	18	29	44	73	2	B+	8	16	34	38	72	2	B+	8	16	16	18	34	-	B	7	-	152	6.61	525	Pass	58.6	6.97
25	23KB02BC408	23	13	36	3	F	0	0	30	36	66	2	B	7	14	37	39	76	2	B+	8	16	16	20	36	-	B+	8	-	116	-	444	Fail	-	-
26	23KB02BC410	20	21	41	3	D	5	15	29	50	79	2	B+	8	16	35	40	75	2	B+	8	16	16	27	43	-	A	9	-	97	-	431	Fail	-	-
27	23KB02BC411	25	15	40	3	F	0	0	34	44	78	2	B+	8	16	38	45	83	2	A	9	18	17	21	38	-	B+	8	-	108	-	477	Fail	-	-
28	23KB02BC412	21	26	47	3	D	5	15	31	38	69	2	B	7	14	37	41	78	2	B+	8	16	16	22	38	-	B+	8	-	145	6.3	517	Pass	55.5	6.75
29	23KB02BC413	20	12	32	3	F	0	0	30	40	70	2	B	7	14	33	38	71	2	B+	8	16	15	22	37	-	B+	8	-	65	-	360	Fail	-	-
30	23KB02BC414	19	10	29	3	F	0	0	29	48	77	2	B+	8	16	33	39	72	2	B+	8	16	15	26	41	-	A	9	-	82	-	403	Fail	-	-
31	23KB02BC416	20	21	41	3	D	5	15	33	52	85	2	A	9	18	36	43	79	2	B+	8	16	15	21	36	-	B+	8	-	132	5.74	462	Pass	49.9	6.41
32	23KB02BC417	24	12	36	3	F	0	0	30	40	70	2	B	7	14	30	43	73	2	B+	8	16	17	19	36	-	B+	8	-	98	-	416	Fail	-	-
33	23KB02BC419	19	21	40	3	D	5	15	29	44	73	2	B+	8	16	35	41	76	2	B+	8	16	16	19	35	-	B	7	-	112	-	425	Fail	-	-
34	23KB02BC421	20	21	41	3	D	5	15	29	42	71	2	B+	8	16	33	36	69	2	B	7	14	17	28	45	-	A	9	-	95	-	408	Fail	-	-
35	23KB02BC422	26	AB	26	3	F	0	0	34	46	80	2	B+	8	16	34	50	84	2	A	9	18	16	AB	16	-	F	0	-	106	-	454	Fail	-	-
36	23KB02BC423	20	16	36	3	F	0	0	30	42	72	2	B+	8	16	34	36	70	2	B	7	14	16	17	33	-	B	7	-	98	-	418	Fail	-	-
37	19KB02BC036	38	56	94	3	A+	10	30	35	46	81	2	A	9	18	39	54	93	2	A+	10	20	19	26	45	-	A	9	-	209	9.09	734	Pass	83.4	9.09

TOTAL NUMBER OF STUDENTS APPEARED : 37  
TOTAL NUMBER OF STUDENTS PASS : 10  
TOTAL NUMBER OF STUDENTS FAIL : 24  
PASSING PERCENTAGE : 27.02%  
With Held : 03

 MPC  
 FAIL

*Red Bagesh*  
Dy. Controller of Examinations  
Khaja Bandanawaz University  
Kalaburagi - 585 104 (KS)